




(A) GROUND FLOOR

(B) SECOND FLOOR

(1) ELECTRICAL PLAN
SCALE: 1/4" = 1'-0"

LIGHTING FIXTURE SCHEDULE


FIXTURE TYPE	LAMP DATA		MOUNTING		DESCRIPTIONS	MANUFACTURER'S CAT. NO. OR APPROVED EQUAL	REMARKS
	NO.	WATT	CWG	WALL			
(A)	2	60	SURF		10 3/4" x 10 3/4" SQUARE X 4 5/8" D INCANDESCENT LIGHT FIXTURE, OAK FINISH	TIMBLY LIGHTING 5510A	
(B)	2	40	SURF		12" x 24" x 4 1/2" D FLUORESCENT LIGHT FIXTURE, OAK FINISH	TIMBLY LIGHTING 2271A	
(C)	2	60	SURF		10 5/8" x 10 5/8" x 5" D INCANDESCENT LIGHT FIXTURE	TIMBLY LIGHTING 460WH	
(D)	2	60	SURF		10 1/4" x 10 1/4" SQUARE X 4 1/2" D INCANDESCENT LIGHT FIXTURE, SUITABLE FOR WET LOCATION	TIMBLY LIGHTING 4002H	
(E)	2	75	SURF		4 1/2" x 24" x 4 1/2" D INCANDESCENT LIGHT FIXTURE, MOUNTED ABOVE MIRROR	TIMBLY LIGHTING 4752W	
(F)	1	60	SURF		7" x 22" x 8 1/2" INCANDESCENT LIGHT FIXTURE, SUITABLE FOR WET LOCATION	TIMBLY LIGHTING 4004B	
(G)	2	60	SURF		10 1/4" x 10 1/4" SQUARE X 4 1/2" D INCANDESCENT LIGHT FIXTURE, SUITABLE FOR WET LOCATION	TIMBLY LIGHTING 4001B	
(H)	1	75	SURF		12 1/4" DIAMETER INCANDESCENT LIGHT FIXTURE, MATTE WHITE BLACK FINISH	PRESSURE 75801	
(J)	4	60	SURF		4 1/2" x 20" x 5 1/4" INCANDESCENT LIGHT FIXTURE, MOUNTED ABOVE MIRROR	TIMBLY LIGHTING 7491W1	

MOUNTING HEIGHT SCHED.

(UNLESS OTHERWISE NOTED)

DEVICE ON PLAN	MOUNTING HEIGHT	REFERENCE POINT						REMARKS
		PLR	CLG	TO	1/2	TOP	DOT	
(A)	1' - 0"	•		•	•			
(GFI)	8"			•	•			ABOVE KITCHEN COUNTER AND VANITY
(C)	1' - 0"	•		•	•			
(D, E)	3' - 6"	•		•	•			FOR WASHING MACHINE AND DRYER
(F)	1' - 6"	•		•	•			
(H)	1' - 0"	•		•	•			
(J)	1' - 0"	•		•	•			
(I, J)	4' - 0"	•		•	•			
(J)	5' - 0"	•		•	•			
(J)	6' - 0"	•		•	•			

PANEL "GROUND FLOOR" (TYP. GROUND FLOOR)		100/240 VOLTS 1 PHASE 3 WIRE		BREAKER MINIMUM AIC 10,000	
FOR ASANOMA RESIDENCE FLUSH		MOUNTING 100 A MAIN BREAKER			
CKT. NO.	USE	CIRCUIT BREAKER POLE	AMPS	CONNECTED LOAD (KVA)	WIRE SIZE
1	LIGHTS	1	40	1.0	#12
2	RECEP			1.0	
3	LIGHTS			0.8	
4	RECEP			1.0	
5				1.0	
6				1.0	
7				1.0	
8	DISPOSER			1.2	
9	REF			1.5	
10	WASHING MACHINE			1.0	
11	SPARE			1.0	
12	BWH	2	30	2.5	#10
13	DRYER	2	30	2.5	#10
14	PART OF CKT. NO. 12			2.5	#10
15	PART OF CKT. NO. 13			2.5	#10
16	RANGE	2	50	6.0	#6
17	SPARE			1.0	
18	PART OF CKT. NO. 16			6.0	#6
19	SPARE			1.0	
20	SPARE			1.0	
TOTAL WOOD/PHASE				18.45	17.55
TOTAL DEMAND FACTOR				36 KVA	
DEMAND LOAD				23.6 KVA	I = 98.9A






(2) ELEVATION

OWNER: <i>Francisco Asanoma</i>	DATE: <i>9/8/94</i>
DESIGNED BY: <i>ESS</i>	DRAWN BY: <i>CVA</i>
CHECKED BY: <i>ESS</i>	DATE: <i>9-1-94</i>
GUAM PRESERVATION TRUST P.O. BOX 3036 AGANA, GUAM 96910 TEL: 645-1221 FAX: 645-1155	
HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE ELECTRICAL PLANT AND SECOND FLOOR ELEVATION LIGHTING FIXTURE & MOUNTING HEIGHT SCHEDULE	
RECOMMENDED APPROVAL <i>[Signature]</i> GUAM PRESERVATION TRUST	
EPIC ASSOCIATES ARCHITECTS - PLANNERS - ENGINEERS	
DRAWER NO.:	DRAWING NUMBER: E-2
SHEET 12 OF 12	

FRANCISCO ASANOMA HOUSE REHABILITATION/STABILIZATION DESIGN BUILD

INARAJAN




GUAM



LIST OF DRAWINGS

SHT. NO.	DESCRIPTION
T-1	TITLE SHEET, SITE PLAN, MAPS, & LIST OF DRAWINGS
A-1	GROUND FLOOR PLAN, UPPER FLOOR PLAN, LEGEND
A-2	ROOF & FRAMING PLANS
A-3	ELEVATIONS
A-4	EXTERIOR ELEVATIONS & DETAILS
A-5	DETAILS

REVISIONS		
No.	Description	Date
MURPHY ENTERPRISES INC. P.O. BOX 5122 AGANA, GUAM 96910 TEL. (671) 472-4426 FAX (671) 472-4806		
Design By:	ERC	R. JONSON
Drawn By:	ERC	R. JONSON
Checked By:	ERC	R. JONSON
Date:	09/11/94	07/18/97
Richard E. Johnson architect Telephone (671) 789-2691 790 North Marine Drive #805 Tumon, Guam 96911		
GPT P.O. Box 5056 Agana, Guam 96910 Tel. 472-9435/40 Fax: 477-2047		
Name of Project: FRANCISCO ASANOMA HOUSE GPT-001-C		
Title: TITLE SHEET, SITE PLAN, VICINITY MAP, LOCATION MAP, AND LIST OF DRAWINGS		
Drawing No: T-1		
1 Sheet of		




GPT-001-C

SCOPE OF WORK

1-A REPLACE ALL TIN ROOFING INCLUDING ALL FLASHING RIDGE CAPS WITH 26 GA. GALVANIZED CORRUGATED SHEET METAL ROOF TINS. ATTACH ROOF TIN @ PERIMETER WITH NEOPHREME WASHERED 16p SCREWS. GALVANIZED NAILS @ 8" O.C. BODY OF SHEET @ 12" O.C. PROVIDE NEOPHREME CLOSURES @ ALL CORR. PERIMETER SHEETS. 1-B PROVIDE MIN. 26 GA. G.I. SHEET METAL RIDGE CAPS AS NECESSARY ATTACH WITH NEOPHREME WASHERED 16p SCREWS. GALVANIZED NAILS @ 8" O.C.	1-C PROVIDE MIN. 26 GA. G.I. SHEET METAL EDGE CAPS AS NECESSARY WITH NEOPHREME WASHERED 16p SCREWS. GALVANIZED NAILS @ 8" O.C. 1-D INSPECT ALL PURLINS AND REPLACE ANY QUESTIONABLE PIECES WITH #2 OR BETTER D.F. TREATED LUMBER OF SAME SIZE. ADVISE G.P.T. IF ANY RAFTERS TRUSSES NEED TO BE REPLACED BEFORE PROCEEDING WITH WORK. 1-E TYPICAL EAVES. REPLACE ALL ROTTEN RAFTER ENDS AND OR PURLIN ENDS WITH #2 OR BETTER TREATED LUMBER SAME SIZE KICKERS	EXTENDING A MIN. OF 2'-0" ABOVE BEARING POINT. GANG NAIL MEMBERS TO EXISTING @ 4" O.C. REMOVE ALL EXIST. FASCIA MATERIAL AND REPLACE W/ P.M. 2X10 PROVIDE TREATED LUMBER SOFFIT STRUCTURE AS PER SOFFIT DETAIL AND PROVIDE 1/4" MIN. MARINE GRD. PLYWOOD SOFFIT W/ TREATED 1x2 TRIM. REFER TO SOFFIT DETAIL. 1-F REPLACE T&G SIDING WITH NEW P.M. T&G 1x6 SIDING FLASH BOTTOM WITH 22GA. G.I. SHEET METAL FLASHING MIN. 12" ABOVE SIDING BOT.	2-A REMOVE AND REPLACE EXIST. ELECTRICAL SYSTEMS TO CONFORM WITH NATIONAL ELECTRICAL CODES. 3-A VERIFY ALL COLUMNS ON SOUTH CORNER OF BUILDING IF STRUCTURALLY UNSOUND, RE-STRUCTURE ALL COLUMNS WITH NEW REINFORCED CONCRETE COLUMNS AND FOOTINGS AS MAY BE REQUIRED AS PER STRUCTURAL ENGINEER'S RECOMMENDATIONS.	4-A INSPECT CONDITION OF ALL RESTROOM FIXTURES. VERIFY ANY LEAKS IN WATER LINES AND OR SEWAGE LINES AND REPLACE OR CORRECT CONDITION TO PROVIDE WATERTIGHT LINES. 5-A RE-STRUCTURE PORTIONS OF FLOOR FRAMING IN QUESTION WITH #2 OR BETTER TREATED D.F. ADJACENT TO EXISTING WOOD JOISTS. 6-A REMOVE ALL DEBRIS FROM UNDER HOUSE AND PROVIDE ADEQUATE ACCESS FOR FULL SATURATION OF TERMITE TREATMENT. FLOOD ENTIRE GROUND FLOOR AND SPRAY ALL EXPOSED	7-C HAND SCRAPE ENTIRE FACADE OF HOUSE INCLUDING BUT NOT LIMITED TO SIDING, CMU, FASCIAS AND OTHER EXTERIOR WALL SURFACES TO REMOVE LOOSE PAINT. PRIME ALL SURFACES WITH RECOMMENDED PRIMER FOR GIVEN MATERIAL AND APPLY A MINIMUM OF TWO COATS OF EXTERIOR GRADE LATEX-ENAMEL WITH FUNGUSIDE MIXTURE.
--	--	--	---	--	--

REVISIONS

No. Description Date



THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION
DATE: 11/18/91

Name of Firm:

MURPHY ENTERPRISES INC.

P.O. BOX 5122
AGANA, GUAM 96910
TEL. (671) 472-4426
FAX (671) 472-4806

Design By: ERC
Drawn By: ERC
Checked By: ERC
Date: 09/11/94 07/18/97

Richard E. Johnson
architect

Telephone (671) 789-2691

790 North Marine Drive #805
Tumon, Guam 96911

GPT-001-C


FRANCISCO ASANOMA HOUSE

GPT-001-C

ROOF & FRAMING PLANS


A-2

3 5




1 FRONT ELEVATION

SCALE 1/4" = ONE FT.




3 LEFT ELEVATION

SCALE 1/4" = ONE FT.



2 RIGHT ELEVATION

SCALE 1/4" = ONE FT.



4 REAR ELEVATION

SCALE 1/4" = ONE FT.

GPT-001-C

SCOPE OF WORK

1-A REPLACE ALL TIN ROOFING INCLUDING ALL FLASHING RIDGE CAPS WITH 26 GA. GALVANIZED CORRUGATED SHEET METAL ROOF TINS. ATTACH ROOF TIN @ PERIMETER WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C.

1-B PROVIDE MIN. 22GA. G.I. SHEET METAL RIDGE CAPS AS NECESSARY ATTACH WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C.

1-C PROVIDE MIN. 22GA. G.I. SHEET METAL EDGE CAPS AS NECESSARY WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C.

1-D INSPECT ALL PURLINS AND REPLACE ANY QUESTIONABLE PIECES WITH #2 OR BETTER D.F. TREATED LUMBER OF SAME SIZE. ADVISE G.P.T. IF ANY RAFTERS TRUSSES NEED TO BE REPLACED BEFORE PROCEEDING WITH WORK.

1-E TYPICAL EAVES: REPLACE ALL ROTTEN RAFTER ENDS AND OR PURLIN ENDS WITH #2 OR BETTER TREATED LUMBER SAME SIZE KICKERS

EXTENDING A MIN. OF 2'-0" ABOVE BEARING POINT. GANG NAIL MEMBERS TO EXISTING @ 4" O.C. REMOVE ALL EXIST. FASCIA MATERIAL AND REPLACE W/ P.M. 2X10 PROVIDE TREATED LUMBER SOFFIT STRUCTURE AS PER SOFFIT DETAIL AND PROVIDE 1/4" MIN. MARINE GRD. PLYWOOD SOFFIT W/ TRATED 1X2 TRIM. REFER TO SOFFIT DETAIL.

1-F REPLACE T&G SIDING WITH NEW P.M. T&G 1X6 SIDING FLASH BOTTOM WITH 22GA. G.I. SHT MTL. FLASHING MIN. 12" ABOVE SIDING BOT.

2-A REMOVE AND REPLACE EXIST. ELECTRICAL SYSTEMS TO CONFORM WITH NATIONAL ELECTRICAL CODES.

3-A VERIFY ALL COLUMNS ON SOUTH CORNER OF BUILDING IF STRUCTURALLY UNSOUND, RE-STRUCTURE ALL COLUMNS WITH NEW REINFORCED CONCRETE COLUMNS AND FOOTINGS AS MAY BE REQUIRED AS PER STRUCTURAL ENGINEER'S RECOMMENDATIONS.

4-A INSPECT CONDITION OF ALL RESTROOM FIXTURES. VERIFY ANY LEAKS IN WATER LINES AND OR SEWAGE LINES AND REPLACE OR CORRECT CONDITION TO PROVIDE WATERTIGHT LINES.


5-A RE-STRUCTURE PORTIONS OF FLOOR FRAMING IN QUESTION WITH #2 OR BETTER TREATED D.F. ADJACENT TO EXISTING WOOD JOISTS.

6-A REMOVE ALL DEBRIS FROM UNDER HOUSE AND PROVIDE ADEQUATE ACCESS FOR FULL SATURATION OF TERMITE TREATMENT. FLOOD ENTIRE GROUND FLOOR AND SPRAY ALL EXPOSED

7-C HAND SCRAPE ENTIRE FACADE OF HOUSE INCLUDING BUT NOT LIMITED TO SIDING, CMU, FASCIA AND OTHER EXTERIOR WALL SURFACES TO REMOVE LOOSE PAINT. PRIME ALL SURFACES WITH RECOMMENDED PRIMER FOR GIVEN MATERIAL AND APPLY A MINIMUM OF TWO COATS OF EXTERIOR GRADE LATEX-ENAMEL WITH FUNGUSIDE MIXTURE.

REVISIONS

No. Description Date



THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION
DATE: 7/18/99

Name of Firm

MURPHY ENTERPRISES INC.

P.O. BOX 5122
AGANA, GUAM 96910
TEL. (671) 472-4426
FAX (671) 472-4806

Design By: ERC
Drawn By: R. JONSON
Checked By: R. JONSON
Date: 09/19/94 07/18/99

Richard E. Johnson
architect

Telephone (671) 789-2691
780 North Marine Drive #805
Fumon, Guam 96911

GPT
P.O. Box 5036
Agana, Guam 96910

Tel: 472-9439/40 Fax: 472-2247

Name of Project

FRANCISCO ASANOMA HOUSE

GPT-001-C

Owner

Date


Title

ELEVATIONS

Drawing No.

A-3


Sheet of 5




1-C

2 ROOF EDGE FLASHING DETAIL
SCALE 1 1/2" = ONE FT.

1F



3 WOOD SIDING DETAIL
SCALE 1 1/2" = ONE FT.



1-E

1 ROOF EDGE FLASHING DETAIL
SCALE 1 1/2" = ONE FT.

REVISIONS		
No.	Description	Date

THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION
DATE: 7/18/97

MURPHY ENTERPRISES INC.
P.O. BOX 5122
AGANA, GUAM 96910
TEL. (671) 472-4426
FAX (671) 472-4806

Design By: ERC
Drawn By: ERC
Checked By: ERC
Date: 09/11/94

R. JONSON
R. JONSON
07/18/97

Richard E. Johnson
architect

Telephone (671) 789-2691
790 North Marine Drive #805
Tumon, Guam 96911

GPT
P.O. Box 3036
Agana, Guam 96910
Tel: 472-9430/40 Fax: 477-0247

House of Project: **FRANCISCO ASANOMA HOUSE**
GPT-001-C




Owner:
Date:
Title: **DETAILS**

Drawing No: **A-4**
5 of 5

FRANCISCO ASANOMA HOUSE REHABILITATION/STABILIZATION DESIGN BUILD


INARAJAN

GUAM







LIST OF DRAWINGS

SHT. NO.	DESCRIPTION
T-1	TITLE SHEET, SITE PLAN, MAPS, & LIST OF DRAWINGS
A-1	GROUND FLOOR PLAN, UPPER FLOOR PLAN, LEGEND
A-2	ROOF & FRAMING PLANS
A-3	ELEVATIONS
A-4	EXTERIOR ELEVATIONS & DETAILS
A-5	DETAILS



REVISIONS		
No.	Description	Date
DATE: 7/18/97		
Name of Firm: MURPHY ENTERPRISES INC.		
P.O. BOX 5122 AGANA, GUAM 96910 TEL. (671) 472-4426 FAX (671) 472-4806		
Design By:	ERC	R. JONSON
Drawn By:	ERC	R. JONSON
Checked By:	ERC	R. JONSON
Date:	03/11/94	07/18/97
Richard E. Johnson architect		
Telephone (671) 789-2691 700 North Marine Drive #200 Lumon, Guam 96911		
GPT 001-D-3076 Agana, Guam 96910		
Tel: 472-0453/40 Fax: 472-0247		
Name of Project: FRANCISCO ASANOMA HOUSE		
GPT-001-C		
Owner: Date: Title: TITLE SHEET, SITE PLAN, VICINITY MAP, LOCATION MAP, AND LIST OF DRAWINGS		
Drawing No: T-1		
1 Sheet of		



GPT-001-C

SCOPE OF WORK

1-A REPLACE ALL TIN ROOFING INCLUDING ALL FLASHING RIDGE CAPS WITH 26 GA. GALVANIZED CORRUGATED SHEET METAL ROOF TINS. ATTACH ROOF TIN @ PERIMETER WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C. BODY OF SHEET @ 12" O.C. PROVIDE NEOPHREME CLOSURES @ ALL CORR. PERIMETER SHEETS. 1-B PROVIDE MIN. 22GA. G.I. SHEET METAL RIDGE CAPS AS NECESSARY ATTACH WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C.	1-C PROVIDE MIN. 22GA. G.I. SHEET METAL EDGE CAPS AS NECESSARY WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C. 1-D INSPECT ALL PURLINS AND REPLACE ANY QUESTIONABLE PIECES WITH #2 OR BETTER D.F. TREATED LUMBER OF SAME SIZE. ADVISE G.P.T. IF ANY RAFTERS TRUSSES NEED TO BE REPLACED BEFORE PROCEEDING WITH WORK. 1-E TYPICAL EAVES. REPLACE ALL ROTTEN RAFTER ENDS AND OR PURLIN ENDS WITH #2 OR BETTER TRATED LUMBER SAME SIZE KICKERS	EXTENDING A MIN. OF 2'-0" ABOVE BEARING POINT. GANG NAIL MEMBERS TO EXISTING @ 4" O.C. REMOVE ALL EXIST. FASCIA MATERIAL AND REPLACE w/ P.M. 2X10 PROVIDE TREATED LUMBER SOFFIT STRUCTURE AS PER SOFFIT DETAIL AND PROVIDE 1/4" MIN. MARINE GRD. PLYWOOD SOFFIT w/ TRATED 1x2 TRIM. REFER TO SOFFIT DETAIL. 1-F REPLACE T&G SIDING WITH NEW P.M. T&G 1x6 SIDING FLASH BOTTOM WITH 22GA. G.I. SHEET MTL. FLASHING MIN. 12" ABOVE SIDING BOT.	2-A REMOVE AND REPLACE EXIST. ELECTRICAL SYSTEMS TO CONFORM WITH NATIONAL ELECTRICAL CODES. 3-A VERIFY ALL COLUMNS ON SOUTH CORNER OF BUILDING IF STRUCTURALLY UNSOUND, RE-STRUCTURE ALL COLUMNS WITH NEW REINFORCED CONCRETE COLUMNS AND FOOTINGS AS MAY BE REQUIRED AS PER STRUCTURAL ENGINEER'S RECOMMENDATIONS.	4-A INSPECT CONDITION OF ALL RESTROOM FIXTURES. VERIFY ANY LEAKS IN WATER LINES AND OR SEWAGE LINES AND REPLACE OR CORRECT CONDITION TO PROVIDE WATERTIGHT LINES. 5-A RE-STRUCTURE PORTIONS OF FLOOR FRAMING IN QUESTION WITH #2 OR BETTER TREATED D.F. ADJACENT TO EXISTING WOOD JOISTS. 6-A REMOVE ALL DEBRIS FROM UNDER HOUSE AND PROVIDE ADEQUATE ACCESS FOR FULL SATURATION OF TERMITE TREATMENT. FLOOD ENTIRE GROUND FLOOR AND SPRAY ALL EXPOSED	7-C HAND SCRAPE ENTIRE FACADE OF HOUSE INCLUDING BUT NOT LIMITED TO SIDING, CMU, FASCIA'S AND OTHER EXTERIOR WALL SURFACES TO REMOVE LOOSE PAINT. PRIME ALL SURFACES WITH RECOMMENDED PRIMER FOR GIVEN MATERIAL AND APPLY A MINIMUM OF TWO COATS OF EXTERIOR GRADE LATEX-ENAMEL WITH FUNGUSIDE MIXTURE.
---	---	--	---	--	---

REVISIONS		
No.	Description	Date


THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION
DATE: 1/18/97

Name of Firm: **MURPHY ENTERPRISES INC.**

P.O. BOX 5122
AGANA, GUAM 96910
TEL. (671) 472-4426
FAX (671) 472-4806

Design By: ERC
Drawn By: ERC
Checked By: ERC
Date: 09/1/94

By: R. JOHNSON
R. JOHNSON
07/18/97



Richard E. Johnson
architect

Telephone (671) 789-2691
780 North Marine Drive #205
Tumon, Guam 96911

Name of Project: **FRANCISCO ASANOMA HOUSE**

GPT-001-C


Owner: _____

Date: _____

Title: **ROOF & FRAMING PLANS**


Drawing No: **A-2**

Sheet 3 of 5




1 FRONT ELEVATION

SCALE 1/4" = ONE FT.




3 LEFT ELEVATION

SCALE 1/4" = ONE FT.



2 RIGHT ELEVATION

SCALE 1/4" = ONE FT.



4 REAR ELEVATION

SCALE 1/4" = ONE FT.

ACCEPTED AS CONFORMING TO APPROVED
GENERAL LAYOUT AND CONSTRUCTION.
CONTRACTOR SHALL BE RESPONSIBLE FOR
ALL DIMENSIONS AND ADHERENCE TO PLAN.
DEPARTMENT OF PUBLIC WORKS
GOVERNMENT OF GUAM
DIVISION OF BUILDING PERMIT AND
INSPECTION

GPT-001-C

SCOPE OF WORK

1-A REPLACE ALL TIN ROOFING INCLUDING ALL FLASHING RIDGE CAPS WITH 26 GA. GALVANIZED CORRUGATED SHEET METAL ROOF TINS. ATTACH ROOF TIN @ PERIMETER WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C. BODY OF SHEET @ 12" O.C. PROVIDE NEOPHREME CLOSURES @ ALL CORR. PERIMETER SHEETS.

1-B PROVIDE MIN. 22GA. G.I. SHEET METAL RIDGE CAPS AS NECESSARY ATTACH WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C.

1-C PROVIDE MIN. 22GA. G.I. SHEET METAL EDGE CAPS AS NECESSARY WITH NEOPHREME WASHERED 16p SCREWSHANK GALVANIZED NAILS @ 8" O.C.

1-D INSPECT ALL PURLINS AND REPLACE ANY QUESTIONABLE PIECES WITH #2 OR BETTER D.F. TREATED LUMBER OF SAME SIZE. ADVISE G.P.T. IF ANY RAFTERS TRUSSES NEED TO BE REPLACED BEFORE PROCEEDING WITH WORK.

1-E TYPICAL EAVES REPLACE ALL ROTTEN RAFTER ENDS AND OR PURLIN ENDS WITH #2 OR BETTER TREATED LUMBER SAME SIZE KICKERS

EXTENDING A MIN. OF 2'-0" ABOVE BEARING POINT. GANG NAIL MEMBERS TO EXISTING @ 4" O.C. REMOVE ALL EXIST. FASCIA MATERIAL AND REPLACE W/ P.M. 2X10 PROVIDE TREATED LUMBER SOFFIT STRUCTURE AS PER SOFFIT DETAIL AND PROVIDE 1/4" MIN. MARINE GRD. PLYWOOD SOFFIT W/ TRATED 1X2 TRIM. REFER TO SOFFIT DETAIL.

1-F REPLACE T&G SIDING WITH NEW P.M. T&G 1X6 SIDING FLASH BOTTOM WITH 22GA. G.I. SHEET METAL FLASHING MIN. 12" ABOVE SIDING BOT.

2-A REMOVE AND REPLACE EXIST. ELECTRICAL SYSTEMS TO CONFORM WITH NATIONAL ELECTRICAL CODES.

3-A VERIFY ALL COLUMNS ON SOUTH CORNER OF BUILDING IF STRUCTURALLY UNSOUND, RE-STRUCTURE ALL COLUMNS WITH NEW REINFORCED CONCRETE COLUMNS AND FOOTINGS AS MAY BE REQUIRED AS PER STRUCTURAL ENGINEER'S RECOMMENDATIONS.

4-A INSPECT CONDITION OF ALL RESTROOM FIXTURES. VERIFY ANY LEAKS IN WATER LINES AND OR SEWAGE LINES AND REPLACE OR CORRECT CONDITION TO PROVIDE WATERTIGHT LINES.


5-A RE-STRUCTURE PORTIONS OF FLOOR FRAMING IN QUESTION WITH #2 OR BETTER TREATED D.F. ADJACENT TO EXISTING WOOD JOISTS.

6-A REMOVE ALL DEBRIS FROM UNDER HOUSE AND PROVIDE ADEQUATE ACCESS FOR FULL SATURATION OF TERMITE TREATMENT. FLOOD ENTIRE GROUND FLOOR AND SPRAY ALL EXPOSED

7-C HAND SCRAPE ENTIRE FACADE OF HOUSE INCLUDING BUT NOT LIMITED TO SIDING, CMU, FASCIAE AND OTHER EXTERIOR WALL SURFACES TO REMOVE LOOSE PAINT. PRIME ALL SURFACES WITH RECOMMENDED PRIMER FOR GIVEN MATERIAL AND APPLY A MINIMUM OF TWO COATS OF EXTERIOR GRADE LATEX-ENAMEL WITH FUNGUSIDE MIXTURE.

REVISIONS

No. Description Date



THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION
DATE: 7/18/97

Name of Firm

MURPHY ENTERPRISES INC.

P.O. BOX 5122
AGANA, GUAM 96910
TEL. (671) 472-4426
FAX (671) 472-4806

Design By: ERC
Drawn By: ERC
Checked By: ERC
Date: 08/19/94 07/18/97

Richard E. Johnson
architect

Telephone (671) 289-2691

790 North Marine Drive #200
Tumon, Guam 96911

Name of Project

FRANCISCO ASANOMA HOUSE

GPT-001-C

Owner

Date


Title

ELEVATIONS

Drawing No.

A-3


4 of 5




1-C

2 ROOF EDGE FLASHING DETAIL
SCALE 1 1/2" = ONE FT.

1F




3 WOOD SIDING DETAIL
SCALE 1 1/2" = ONE FT.



1-E

1 ROOF EDGE FLASHING DETAIL
SCALE 1 1/2" = ONE FT.



REVISIONS	
No.	Description

THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION
DATE: 7/12/87

Name of Firm: **MURPHY ENTERPRISES INC.**

P.O. BOX 5122
AGANA, GUAM 96910
TEL. (671) 472-4426
FAX (671) 472-4806

Design By: ERC	Checked By: R. JONSON
Drawn By: ERC	Checked By: R. JONSON
Date: 09/11/84	Date: 07/18/87

Richard E. Johnson
architect

Telephone (671) 789-2691
790 North Marine Drive #205
Tumon, Guam 96911

Owner: FRANCISCO ASANOMA HOUSE
GPT-001-C

Title: DETAILS

Drawing No: A-4
5 5


HISTORIC RESTORATION

FRANCISCO ASANOMA HOUSE

INARAJAN VILLAGE


GUAM

LOCATION MAP



ISLAND OF GUAM

VICINITY PLAN





INDEX OF DRAWINGS

SHT. NO.	DWG. NO.	DESCRIPTION
1 OF 12	T-1	PROJECT TITLE, LOCATION MAP, VICINITY MAP, INDEX OF DRAWINGS, ABBREVIATIONS AND LEGEND & SYMBOLS
2 OF 12	A-1	EXISTING FLOOR PLANS, ELEVATIONS AND SCOPE OF WORK
3 OF 12	A-2	GROUND AND SECOND FLOOR PLAN AND ELEVATIONS - NEW CONDITIONS
4 OF 12	A-3	ELEVATIONS AND SECTIONS - NEW CONDITIONS
5 OF 12	A-4	GROUND AND SECOND FLOOR REFLECTED CEILING PLANS, TYPICAL CEILING DETAILS
6 OF 12	A-5	TOILET AND KITCHEN PARTIAL PLANS, AND INTERIOR ELEVATIONS
7 OF 12	A-6	MISCELLANEOUS DETAILS
8 OF 12	A-7	DOOR AND WINDOW SCHEDULE, ELEVATIONS AND DETAILS
9 OF 12	P-1	GROUND AND SECOND FLOOR PLUMBING PLAN, NOTES AND FIXTURE SCHEDULE
10 OF 12	P-2	PIPING ISOMETRIC AND PLUMBING DETAILS
12 OF 12	E-1	ONE LINE DIAGRAM, TV & TEL. DIAGRAMS, GENERAL NOTES AND SYMBOL LIST
12 OF 12	E-2	GROUND AND SECOND FLOOR ELECTRICAL PLAN, LIGHTING FIXTURE SCHEDULE AND MOUNTING HEIGHT SCHEDULE

ABBREVIATIONS


AC	ASPHALTIC CONCRETE	L	LONG OR LENGTH
A/C	AIR-CONDITIONING	LAV	LAVATORY
AL	ALUMINUM	MATL	MATERIAL
BOTT	BOTTOM	MAX	MAXIMUM
CAB	CABINET	MECH	MECHANICAL
CL OR C	CENTER LINE	MFR	MANUFACTURER
CLG	CEILING	MIN	MINIMUM
CMT	CERAMIC MOSAIC TILE	MISC	MISCELLANEOUS
CMU	CONCRETE MASONRY UNIT	MO	MASONRY OPENING
COL	COLUMN	NTS	NOT TO SCALE
CONC	CONCRETE	OC	ON CENTER
CONT	CONTINUOUS OR CONTINUE	OCEW	ON CENTER EACH WAY
CPL	CEMENT PLASTER	OD	OUTSIDE DIAMETER
CPT	CARPET	PNL	PANEL
DET(S)	DETAIL(S)	QTY	QUANTITY
DN	DOWN	QT	QUARRY TILES
DWG(S)	DRAWING(S)	RC	REINFORCED CONCRETE
EA	EACH	REINF	REINFORCEMENT
EF	EACH FACE	R.O.	ROUGH OPENING
ELEC	ELECTRICAL	SF OR SQ FT	SQUARE FEET
EW	EACH WAY	SS	SERVICE SINK
EXH	EXHAUST	STL	STEEL
FD	FLOOR DRAIN	TEL	TELEPHONE
FDN	FOUNDATION	THK	THICK
FFL	FINISH FLOOR LINE	TYP	TYPICAL
FL	FLOOR	UR	URINAL
FIN	FINISH	WC	WATER CLOSET
GWB	GYPSUM WALLBOARD	WDO	WINDOW
HDCP	HANDICAP	W/O	WITH
HGT	HEIGHT	W/O	WITHOUT
HORIZ	HORIZONTAL	WWF	WELDED WIRE FABRIC
JT	JOINT		

LEGEND & SYMBOLS




SITE PLAN

			Owner: <u>Vernon Asanoma</u> Date: <u>9/8/94</u>	
REVISION	DATE	BY	DESCRIPTION	APPROVED
PROJECT NO. PTA 91-049 CONTRACT NO.			GUAM PRESERVATION TRUST	
DESIGNED BY: ERC DRAWN BY: ERC CHECKED BY: ERC			INARAJAN VILLAGE HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE PROJECT TITLE, LOCATION MAP, VICINITY MAP, INDEX OF DRAWINGS, ABBREVIATIONS, LEGEND AND SYMBOLS	
			RECOMMENDED APPROVAL <u>Charles Conrado</u> GUAM PRESERVATION TRUST DATE: <u>9/1/94</u> <u>6-8-94</u> DATE:	
I CERTIFY THAT THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION			 GRC ASSOCIATES P.O. BOX 100 AGaña, GUAM 96910 TEL: (671) 636-2545/634-7583 FAX: (671) 640-1000 ARCHITECTS-ENGINEERS-CADD CONSTRUCTION MANAGEMENT	
			DRAWER NO: DRAWING NUMBER: T-1 SHEET 1 OF 10	








2 SECOND FLOOR PLAN - NEW CONDITION
A-2 SCALE 1/4" = 1'-0"




4 LEFT ELEVATION
A-2 SCALE 14" = 1'-0"


REVISION	DATE	BY	DESCRIPTION		APPROVED
PROJECT NO. FTA 91-049			GUAM PRESERVATION TRUST P.O. BOX 3036 AGANA, GUAM 96910 TEL: 649-1221 FAX: 649-1155		
CONTRACT NO.					
DESIGNED BY: ERC			INARAJAN VILLAGE HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE GUAM		
DRAWN BY: CVA					
CHECKED BY: ERC			GROUND & SECOND FLOOR PLAN / FRONT / LEFT SIDE ELEVATION		
			RECOMMENDED APPROVAL		
			DATE: 9-1-94 6-8-94 DATE:		
			GUAM PRESERVATION TRUST  ARCHITECTS - PLANNERS - ENGINEERS		
I CERTIFY THAT THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION			DRAWER NO. DRAWING NUMBER: A-2 SHEET 2 OF		




REVISION	DATE	BY	DESCRIPTION	APPROVED
PROJECT NO.	PA 91-049			
CONTRACT NO.				
DESIGNED BY: ERC				
DRAWN BY: CVA				
CHECKED BY: ERC				
			GUAM PRESERVATION TRUST P.O. BOX 3036 AGANA, GUAM 96910 TEL: 649-1221 FAX: 649-1155 INARAJAN VILLAGE GUAM	
HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE ELEVATIONS & SECTIONS - NEW CONDITION			RECOMMENDED APPROVAL GUAM PRESERVATION TRUST DATE: 7-1-94 DATE: 6-8-94	
Owner: <i>Noraida Asanoma</i> Date: 9/1/91			CDP ASSOCIATES ARCHITECTS - PLANNERS - ENGINEERS DRAWER NO: DRAWING NUMBER A-3 SHEET 4 OF 12	




1 GROUND FLOOR REFLECTED CEILING PLAN
SCALE 1/4" = 1'-0"



2 SECOND FLOOR REFLECTED CEILING PLAN
SCALE 1/4" = 1'-0"




4 WOOD MOLD DETAIL
SCALE FULL SIZE



3A CMU WALL-CEILING CONN. 3B GYPSUM WALL-CEILING CONN.








3 TYPICAL CEILING DETAIL
SCALE 1/2" = 1'-0"



3C EAVES CEILING (TYP.)


- INDEX TO CEILING FINISHES
- C-1 1/2" THK. GYPSUM BOARD CEILING NAILED ON 2" X 2" HARDWOOD JOIST PAINTED FIN.
 - C-2 1/2" THK. MARINE PLYWOOD CEILING NAILED ON 2" X 2" HARDWOOD JOIST W/ PAINT FIN.
 - C-3 EXPOSED BEAM SOFFIT OR SLAB SOFFIT PAINTED FIN.
 - C-4 EXPOSED STRUCTURAL FRAMES PAINTED FIN.
 - C-5 NAILED ON 2" X 2" HARDWOOD CEILING JOIST W/ PAINT FIN.

REVISION	DATE	BY	DESCRIPTION	APPROVED
PROJECT NO. PTA 31-048			GUAM PRESERVATION TRUST	
CONTRACT NO.			P.O. BOX 3036 AGANA, GUAM 96910 TEL: 649-1221 FAX: 649-1155	
DESIGNED BY: ERC			INARAJAN VILLAGE	
DRAWN BY: CVA			HISTORIC RESTORATION	
CHECKED BY: ERC			FRANCISCO ASANOMA HOUSE	
			GROUND & SECOND FLOOR REFLECTED CEILING PLANS AND TYPICAL CEILING DETAILS	
			RECOMMENDED APPROVAL	
			DATE: 9-1-94	
			DATE: 6-8-94	
			DATE:	
			GUAM PRESERVATION TRUST	
			CRC & ASSOCIATES	
			ARCHITECTS - PLANNERS - ENGINEERS	
Owner: <i>Francisco Asanoma</i>			DRAWING NUMBER: A-4	
Date: 9/8/94			SHEET 5 OF 12	




Owner: *Veronica Canham*
Date: 9/9/99


PROJECT NO. PA 91-047/045	CONTRACT NO.	DESIGNED BY: IERC	DRAWN BY: EVA	CHECKED BY: IERC
GUAM PRESERVATION TRUST P.O. BOX 3836 AGANA, GUAM 96910		HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE TOILET & KITCHEN PARTIAL PLANS AND INTERIOR ELEVATIONS		
RECOMMENDED APPROVAL <i>Charles D. Canady</i> GUAM PRESERVATION TRUST		DATE: 9-1-99 DATE: 6-8-94		
ERC ASSOCIATES ARCHITECTS - PLANNERS - ENGINEERS		DRAWER NO: DRAWING NUMBER: A-5 SHEET 6 OF 12		



1 BEDROOM CLOSET ELEVATION
SCALE 1/2" = 1'-0"




3 LINEN CLOSET ELEVATION
SCALE 1/2" = 1'-0"




5 TYP. EXTERIOR WALL DET
SCALE 3/4" = 1'-0"


5 STUCCO FINISH OVER PLYWD DET.
SCALE NOT TO SCALE




2 BEDROOM CLOSET SECTION
SCALE 3/4" = 1'-0"



4 LINEN CLOSET SECTION
SCALE 3/4" = 1'-0"



6 TYP. INTERIOR PARTITION DET.
SCALE 3/4" = 1'-0"




7 DECORATIVE BLOCK RAILING REPAIR DET.
SCALE 3/4" = 1'-0"

NOTE: RESTORATION OF RAILING MAY NEED TO REPLACE SOME DECORATED BLOCK ADDITION IS REQUIRED TO ACHIEVE 3'-6" MIN. HEIGHT.

Owner: *Veronica Brown*
Date: *9/8/94*

REVISION	DATE	BY	DESCRIPTION	APPROVED
PROJECT NO.				
CONTRACT NO. <i>PTAB-043</i>				
DESIGNED BY: <i>ERC</i>				
DRAWN BY: <i>CVA</i>				
CHECKED BY: <i>ERC</i>				
GUAM PRESERVATION TRUST P.O. BOX 3036 AGANA, GUAM 96910 TEL: 848-1221 FAX: 848-1155 GUAM				
HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE MISCELLANEOUS DETAILS				
RECOMMENDED APPROVAL				DATE: <i>9-1-94</i>
<i>Charles D. Connolly</i> GUAM PRESERVATION TRUST				DATE: <i>6-8-94</i>
ERC ASSOCIATES ARCHITECTS - PLANNERS - ENGINEERS				DRAWER NO.
I CERTIFY THAT THIS WORK WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION				DRAWING NUMBER: A-6
				SHEET 7 OF 12










SOLID PANEL WOOD
DOOR ON WOOD FRAME
W/ ALUM. INSECT SCREEN DOOR




1 DOORS & WINDOWS ELEVATION
A-7 NTS

DOORS & WINDOWS SCHEDULE

DOOR / WINDOW NO.	TYPE	DOOR / WINDOW ROUGH OPENING	DOOR / WINDOW OPENING	THK.	MATERIALS	DOORS / WINDOWS SECTIONS	REMARKS
						HEAD JAMB SILL	
1	A	3'-4" 6'-10"	3'-0" 6'-8"	1 3/4"	SOLID PANEL WOOD DOOR	1 2 3	ENTRANCE & KITCHEN
2	B	3'-0" 6'-10"	2'-8" 6'-8"	1 3/8"	WOOD HOLLOW CORE FLUSH	4 5 6	BEDROOMS
3	C	2'-8" 6'-10"	2'-4" 6'-8"			4 5 7	TOILETS
4	D	2'-8" —	2'-4" 5'-0"			4 5 6	WATERCLOSET ROOM
5	E	4'-0" 4'-0"	FCTY FCTY	FCTY	SLIDING GLASS W/ W/ ALUM. FRAME	8 9 10	
6	F	2'-0" 2'-2"	FCTY FCTY	FCTY		8 9 10	
7	F	3'-0" 4'-2"	FCTY FCTY	FCTY		8 9 10	




2 DOOR AND WINDOW DETAILS
A-7 NTS



REVISION	DATE	BY	DESCRIPTION	APPROVED
PROJECT NO. PTA 91-048				
CONTRACT NO.				
DESIGNED BY: ERC				
DRAWN BY: CVA				
CHECKED BY: ERC				
GUAM PRESERVATION TRUST P.O. BOX 3036 AGANA, GUAM 96910 TEL: 649-1221 FAX: 649-1155 NARAIAN VILLAGE HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE DOOR & WINDOW SCHEDULE ELEVATIONS AND DETAILS				
RECOMMENDED APPROVAL				DATE: 9-1-94
 Charles D. Canady GUAM PRESERVATION TRUST				DATE: 6-2-94
 CFC ASSOCIATES ARCHITECTS - PLANNERS - ENGINEERS				DRAWER NO. DRAWING NUMBER A-7 SHEET 8 OF 12

Owner: *Francisco Asanoma*
Date: 9/8/94



2 SECOND FLOOR PLUMBING PLAN
P.1 SCALE: 1/4" = 1'-0"







1. ALL WORK SHALL BE IN ACCORDANCE WITH GOVERNMENT LAWS AND ORDINANCES, RULES AND REGULATIONS AND ORDERS. PLUMBING WORK SHALL CONFORM WITH THE UNIFORM PLUMBING CODE.
2. CONTRACTOR SHALL OBTAIN AND PAY FOR GOVERNMENT PERMITS REQUIRED AND ARRANGE FOR PERIODIC AND FINAL INSPECTION BY GOVERNMENT AUTHORITIES.
3. CONTRACTOR SHALL SUBMIT TO THE ARCHITECT 4 SETS OF AS-BUILTS AFTER CONCLUSION OF WORK.
4. MECHANICAL CONTRACTOR SHALL COORDINATE HIS PROPOSED SCHEDULE WITH THAT OF THE GENERAL CONTRACTOR TO ENSURE THAT ALL TRADES ARE ALL IN PROPER PHASING WITH THE OVERALL CONSTRUCTION PROGRESS.
5. ALL EQUIPMENT AND MATERIALS SHALL BE NEW, IN PERFECT CONDITION, AND OF THE HIGHEST QUALITY. ALL EQUIPMENT AND MATERIALS WHERE POSSIBLE SHALL BE STANDARD PRODUCTS OF MANUFACTURERS REGULARLY ENGAGED IN THE PRODUCTION OF SUCH EQUIPMENT AND SHALL BE THE LATEST STANDARD DESIGN.
6. EQUIPMENT CONFIGURATION, DIMENSIONS, PIPING CONNECTIONS VARY WITH DIFFERENT MANUFACTURERS AND MAY DIFFER FROM THAT SHOWN ON THE DRAWINGS. CONTRACTOR SHALL MAKE DEVIATIONS TO SUIT ACTUAL EQUIPMENT TO BE USED AND TO ENSURE PROPER FIT AND OPERATION OF THE SYSTEM. SUCH DEVIATIONS SHALL BE SUBJECT TO THE ARCHITECT/ENGINEER'S APPROVAL AND WHEN APPROVED SHALL BE DONE BY THE CONTRACTOR AT NO ADDITIONAL COST.
7. IT IS THE INTENTION OF THESE PLANS TO PROVIDE A WORKING INSTALLATION. EVERY DETAIL AND ALL ITEMS REQUIRED FOR SUCH AN INSTALLATION SHALL BE FURNISHED WHETHER OR NOT PARTICULARLY SHOWN OR MENTIONED.
8. PROVIDE MINIMUM 2% SLOPE ON HORIZONTAL SOIL WASTE AND VENT LINES.
9. PROVIDE 12" LONG AIR CHAMBERS ON WATER SUPPLIES TO FIXTURES, ONE PIPE SIZE LARGER THAN THE SUPPLY PIPE.
10. PROVIDE PIPE SLEEVES FOR PIPES PASSING THRU WALLS AND FOUNDATIONS.


Diagram illustrating the components of a water level indicator system, showing the following lines and components from top to bottom:

- COLD WATER LINE (CWL)
- HOT WATER LINE (HWL)
- SOIL OR WASTE LINE
- VENT LINE
- VENT THRU ROOF
- FLOOR CLEAN OUT
- GROUND CLEAN OUT


MARK	FIXTURE	PIPE SIZE CONNECTION				REMARKS
		CW	HW	WASTE	VENT	
P-1	WATER CLOSET	1/2"	-	4"	2"	FLUSH TANK
P-2	KITCHEN SINK	1/2"	1/2"	2"	2"	COUNTER TOP
P-3	LAVATORY	1/2"	1/2"	2"	2"	WALL HUNG
P-3A	LAVATORY	1/2"	1/2"	2"	2"	
P-4	SHOWER	1/2"	1/2"	2"	2"	
P-5	LAUNDRY TUB	1/2"	1/2"	2"	2"	
WM	WASHING MACHINE	1/2"	1/2"	2"	2"	
FD	FLOOR DRAIN	-	-	2"	2"	
HB	HOSE BIBB	1/2"	-	-	-	
ELH	ELECTRIC WATER HEATER	3/4"	3/4"	-	3/4"	30 GAL. CAPACITY

[illegible]

[illegible]




1 TYP. ONE LINE DIAGRAM



SINGLE UNIT DE LA ROSA RESIDENCE

ONE LINE DIAGRAMS



2 TYP. TV DIAGRAM

3 TYP. TEL. DIAGRAM

GENERAL NOTES

1. ALL ELECTRICAL WORK SHALL BE IN ACCORDANCE WITH THE APPLICABLE SECTIONS OF THE NATIONAL ELECTRICAL CODE (NEC) 1990, AND RULES AND REGULATIONS OF THE DEPARTMENT OF PUBLIC WORKS, GOVERNMENT OF GUAM AND GUAM POWER AUTHORITY.
2. ALL EQUIPMENT AND MATERIALS SHALL BE LISTED WHERE LISTING IS AVAILABLE FOR THAT TYPE OF EQUIPMENT OR CONFORM TO ANSI OR NEMA STANDARDS.
3. WORKMANSHIP SHALL CONFORM TO CONSTRUCTION PRACTICES RECOMMENDED BY THE AMERICAN ELECTRICIANS HANDBOOK BY ORDET (LATEST EDITIONS) AND SHALL BE SUBJECT TO THE APPROVAL OF THE AGENCY WHO HAS JURISDICTION AND THE ENGINEER.
4. METALLIC ENCLOSURES, RACEWAYS AND ELECTRICAL EQUIPMENT SHALL BE GROUNDED IN ACCORDANCE WITH REQUIREMENTS OF NEC ARTICLE 250. PROVIDE GROUND WIRE IN EVERY RACEWAY. SIZE IN ACCORDANCE WITH NEC TABLE 250.146.
5. CONDUIT SHALL BE EMT (DRY LOCATIONS CONCEALED ABOVE GRADE) ALUMINUM (EXPOSED INSTALLATION). FLEXIBLE CONDUIT SHALL BE JACKETED TYPE AND IN ACCORDANCE WITH NEC ARTICLE 300. PVC CONDUIT UNDER SLAB AND INSIDE CONCRETE.
6. WIRING SHALL BE NEC TYPE THW, THWN OR XHHW, 600 V. CONDUCTORS SHALL BE COPPER.
7. MINIMUM SIZE OF WIRE SHALL BE NO. 10 AWG AND MINIMUM SIZE OF CONDUIT SHALL BE 3/4\"/>

SYMBOL LIST

	FLUORESCENT LIGHT FIXTURE, CEILING, SURFACE MOUNTED, NUMBER DENOTES CIRCUIT NUMBER, SUBSCRIPT LETTER "A" DENOTES CONTROLLING SWITCH
	INCANDESCENT LIGHT FIXTURE, CEILING, SURFACE MOUNTED
	INCANDESCENT LIGHT FIXTURE, WALL, SURFACE MOUNTED
	THIMBLE SWITCH, WALL, FLUSH MOUNTED, 1P, 15A, 125V
	THREE WAY SWITCH, WALL, FLUSH MOUNTED
	DUPLEX RECEPTACLE, WALL, FLUSH MOUNTED, 1P, 15A, 125V, GROUNDING TYPE
	SINGLE RECEPTACLE, WALL, FLUSH MOUNTED, 1P, 15A, 125V, GROUNDING TYPE
	SINGLE RECEPTACLE, WALL, FLUSH MOUNTED, 1P, 15A, 125V, GROUNDING TYPE
	SINGLE RECEPTACLE, WALL, FLUSH MOUNTED, 1P, 15A, 125V, GROUNDING TYPE
	TELEPHONE OUTLET, WALL, FLUSH MOUNTED
	TELEVISION OUTLET, WALL, FLUSH MOUNTED
	FAN CONNECTION
	DISPOSER CONNECTION
	ELECTRIC WATER HEATER CONNECTION
	JUNCTION BOX, WALL, FLUSH MOUNTED
	DISCONNECT SWITCH, HP. RATED
	TELEPHONE BOX, SURFACE MOUNTED
	TELEVISION BOX, SURFACE MOUNTED
	ELECTRIC PANELBOARD, FLUSH MOUNTED
	CONDUIT, CONCEALED IN WALLS OR CEILING, HASHED MARKS DENOTE NUMBER OF WIRES WITHIN INCLUDING GROUND WIRE, NO HASHED MARK DENOTES THREE WIRES WITHIN INCLUDING GROUND WIRE
	CONDUIT, UNDERGROUND OR UNDERPAVEMENT
	TELEPHONE CONDUIT, EMPTY WITH PULLWIRE
	TELEVISION CONDUIT, EMPTY WITH PULLWIRE
	FLEXIBLE CONDUIT, LIQUIDTIGHT
	HOME RUN TO PANEL, TELEVISION BOX OR TELEPHONE BOX
	WP INDICATES WEATHERPROOF
	GFI GROUND FAULT INTERRUPTER
	A LIGHT FIXTURE INDICATOR
	SMOKE DETECTOR, CEILING MOUNTED, 120 VAC, CONNECT TO UNSWITCHED CIRCUIT

REVISION	DATE	BY	DESCRIPTION	APPROVED
PROJECT NO. PTA 91-043 CONTRACT NO. DESIGNED BY: ESS DRAWN BY: CVA CHECKED BY: ESS				
GUAM PRESERVATION TRUST P.O. BOX 3036 AGANA, GUAM 96930 TEL: 649-1221 FAX: 649-1155 GUAM				
INARAJAN VILLAGE HISTORIC RESTORATION FRANCISCO ASANOMA HOUSE TYP. ONE LINE DIAGRAM, TYP. TV DIAGRAM, GENERAL NOTES, SYMBOL LIST				
RECOMMENDED APPROVAL GUAM PRESERVATION TRUST				DATE: 9-1-94 6-8-94 DATE:
 GFC ASSOCIATES ARCHITECTS - PLANNERS - ENGINEERS				DRAWER NO. DRAWING NUMBER: E-1 SHEET 11 OF 12

Owner: Veronica Asanoma
Date: 9/8/94